

Chapter 2

THE BUFFON'S NEEDLE PROBLEM: FIRST MONTE CARLO SIMULATION

© M. Ragheb
9/13/2013

2.1 INTRODUCTION

George Louis Leclerc, also known as Le Comte de Buffon lived during the period of 1707-1788 in France. Buffon, as he came to be known, was an able mathematician and scientist. He estimated the age of the Earth to be about 75,000 years, when the eighteenth century consensus was that it could not be older than 6,000 years.

He is famous for a test of the feasibility of Archimedes' mirror system used in the defense of Syracuse. Plutarch had described plausible actions of cranes and missile throwers built by Archimedes. By the Middle Ages, his exploits were much embellished, and they had grown into a legend. The Byzantine author John Tzetzes (1120-1183) reported a story that was not included in Plutarch's initial description, that Archimedes had burned the Roman ships laying siege to Syracuse at a distance of a bow's shot by focusing the sun's rays using a system of mirrors.

Buffon undertook the testing of such a scheme by using 168 flat mirrors of side lengths of 6 by 8 inches, placed in a flexible framework. He was able to ignite planks of wood at a distance of 150 feet, and satisfied himself that the Archimedes' scheme was feasible. He did not satisfy his critics though, who suggest that the Syracusans would not have had the luxury of having stationary ships floating on the sea, nor the time to focus 168 light beams at a single spot. Archimedes' and Buffon's light focusing concept is still well alive in modern days' directed energy beams (lasers or charged particles) of "Star Wars" fame.

Buffon reserves more fame with a problem that he posed and solved in 1777, known as the Buffon's needle problem. Laplace ingeniously used it for the estimation of the value of π , in what can be considered as the first documented application of the Monte Carlo method. The Monte Carlo simulation method offers a creative solution to the Buffon's needle problem using modern computers as a tool.

2.2 THE BUFFON'S NEEDLE PROBLEM

The statement of the Buffon's needle problem, shown in Fig. 1, is as follows:

"Let a needle of length L be thrown at random onto a horizontal plane ruled with parallel straight lines spaced by a distance d from each other, with $d > L$. What is the probability p that the needle will intersect one of these lines?"




Figure 1. In The Buffon's needle experiment, needles of length L are tossed randomly on a horizontal plane ruled with parallel lines spaced by a distance d , with $L < d$.




Figure 2. Geometry of needle position relative to the parallel lines in the Buffon needle problem.

The implied randomness here means that any position of the center of the needle from the nearest line be x , and any orientation angle, θ of the needle are equally probable, and that these two random variables x and θ are independent of each other.

As shown in Fig. 2, the angle θ occurrence is uniformly distributed over the interval:

$$\theta \in \left[-\frac{\pi}{2}, +\frac{\pi}{2}\right].$$

The position x of the center of the needle is uniformly distributed over the interval:

$$x \in [0, d].$$

Two conditions must be simultaneously satisfied for the needle not to intersect the parallel lines:

$$\left(x - \frac{L}{2} \cos \theta \geq 0\right) \text{ AND } \left(x + \frac{L}{2} \cos \theta \leq d\right)$$

These can be rewritten as:

$$\left(x \geq \frac{L}{2} \cos \theta\right) \text{ AND } \left(x \leq d - \frac{L}{2} \cos \theta\right)$$

The curves:

$$x = \frac{L}{2} \cos \theta, \quad (1)$$

and:

$$x = d - \frac{L}{2} \cos \theta \quad (2)$$

define the boundary for the intersection by the needle with the parallel lines, as shown in Fig. 3.

We can express the probability of non-intersection of the needle in the Buffon's needle problem in terms of the shaded area A bounded by the two curves of Eqs. 1 and 2, and the rectangular enclosing area πd in Fig. 3 as follows:

$$p_{\text{non-intersection}} = \frac{A}{\pi d} \quad (3)$$

where:

$$A = \pi d - 2 \int_{-\pi/2}^{+\pi/2} \frac{L}{2} \cos \theta \, d\theta$$




Figure 3. Boundaries for the intersection of the needles with the parallel lines as a function of the lines spacing d and needle orientation angle θ .

Carrying out the integration yields:

$$A = \pi d - 2L \quad (4)$$

Substitution of Eqn. 4 into Eqn. 3 yields:

$$P_{\text{non-intersection}} = \frac{\pi d - 2L}{\pi d} = 1 - \frac{2L}{\pi d} \quad (5)$$

The probability p of intersection of the dropped needles with the parallel lines becomes:

$$p = 1 - P_{\text{non-intersection}} = \frac{2L}{\pi d} \quad (6)$$

This is the result obtained by Buffon. He attempted to calculate the probability p by throwing a needle a number of times onto ruled paper and observing the fraction of intersections out of the total number of trials.

2.3 LAPLACE'S ESTIMATION OF THE VALUE OF Pi (π)

Buffon's solution remained dormant for 35 years, until another great French mathematician: Pierre Simon Laplace (1736-1813) gave it a novel twist.

Laplace and his two contemporaries Joseph Louis Lagrange (1749-1827) and Adrien Marie Legendre (1752-1833) survived the French Revolution as members of the committee of Weights and Measures, which introduced the metric system of units as used today. Lazare Carnot was at this time a member of the Committee for Public Safety, in charge of military affairs, became "organisateur de la victoire," a hero of the French Revolution. Carnot's chair of geometry at the Institut National was voted to Napoleon Bonaparte, and he went into exile as a royalist, observing that: "A revolution replaces a tyranny by another." The chemist Lavoisier, discoverer of the oxidation process, was less lucky and his neck tragically met with the guillotine as a royalist.

Napoleon appointed Laplace as Minister of Interior, and then promptly dismissed him after six weeks. Laplace authored two books: "Mécanique Céleste" in 5 volumes from 1799 to 1825, considered as a great successor in celestial mechanics to Newton's "Principia," and "Théorie Analytique des Probabilités" in 1812. In the former book, Laplace introduced the theory of potential. The latter book is the foundation of modern probability theory. It introduced the integral transform known as the Laplace Transform, which is the basis of modern control theory, electrical circuits design, and systems analysis. In the same book he included a discussion of the Buffon's needle problem, which he saw in a new light. From Eqn. 6, Laplace suggested that a method of estimating the value of π could be used as:

$$\pi = \frac{2L}{pd} \quad (7)$$

If the length L and the spacing d are known, one needs to estimate p to obtain the value of π . Some people would choose $L = d$, but the choice is arbitrary.

In the special case where the length of the needle is equal to half the spacing between the parallel lines:

$$L = \frac{d}{2},$$

The intersection probability becomes simply:

$$p = \frac{1}{\pi} \quad (8)$$

According to the last equation, for a sufficiently large number of droppings of the needle on the parallel lines, the ratio of hits over the number of trials would be equal to $1/\pi$, and hence offers an ingenious way of calculating the value of π :

$$\pi = \frac{1}{p} = \frac{1}{\lim_{N \rightarrow \infty} \left(\frac{n}{N}\right)} \quad (9)$$

where N is the total number of trials, and n is the number of intersections of the needle with the parallel lines. It is not difficult to estimate p hence the value of π correct to a few decimal places with N experiments.

Equation 9 can be written in the general case as:

$$\pi = \frac{2L}{pd} = \frac{2L/d}{\lim_{N \rightarrow \infty} \left(\frac{n}{N}\right)} \quad (10)$$

Laplace generalized the method for a sheet of paper with two sets of mutually perpendicular lines. It has been used as a game to calculate the first decimal places of the value of π using thousands of throws.

Recovering from wounds incurred in the American Civil War, an officer known as Captain Fox killed his boredom applying the Laplace's method for estimating π . His experimentation was reported by A. Hall in 1873 in: "On an experimental determination of the value of Pi."

2.4 COMPUTER ESTIMATION OF THE VALUE OF Pi (π)

Laplace had discovered a powerful method of computation that was well ahead of its time. It came to its own with the advent of modern computers. What Laplace proposed was a method of numerically estimating a mean value, or a mathematical expectation, by generating a random event that is sampled a large number of times N, and observing its outcome experimentally. This is what became to be known as the Monte Carlo method. Modern computers allow the numerical realization of the experiment with a speed and a number of trials N unrealizable as a hand experiment. Hand experiments would in fact be very inefficient; since the probability of obtaining a correct answer to five decimal places in 3,400 throws would be less than 1.5 percent.

A computer procedure to estimate π written in the Fortran programming language is shown in Fig. 4. Table 1 shows the results for a number of estimates ranging from 100 throws to 1 billion throws, which was easily done on a laptop machine.

The procedure uses a random number r_1 uniformly distributed over the unit interval:

$$r_1 \in [0,1],$$

to sample a value of the angle θ uniformly distributed over the interval from zero to ninety degrees:

$$\theta = \frac{\pi}{2} r_1,$$

resulting in an angle:

$$\theta \in \left[0, \frac{\pi}{2} \right]$$

The cosine of the sampled angle θ is calculated and the projection of half the length of the needle horizontally is calculated as:

$$S = \frac{L}{2} \cos \theta, \quad (11)$$

as given by Eqn. 1 and Fig. 2.

Another random number r_2 is generated to sample the position of the center of the needle by multiplying it by half the lines spacing $d/2$:

$$T = \frac{d}{2} r_2 \quad (12)$$

The sampled position T of the center of the needle is next compared to the sampled projection of half the length of the needle. If the position of the center is less or equal than the sampled half length projection, or:

$$T \leq S \Rightarrow (hits = hits + 1),$$

the needle is considered as touching the parallel lines, and the hits counter is incremented by one hit. Otherwise no hit is scored, and a new throw of the needle is sampled. After N trials, the number of hits n is used to calculate the probability p and the value of π according to Eqns. 9 or 10.

```

!      buffon_needle f90
!      Buffon Needle Problem
!      Monte Carlo Simulation of needle dropping on parallel lines
!      Simulation is used to determine the value of pi
!      M. Ragheb

      program buffon_needle

!      Using double precision variables
      real(8) pi,spacing,needle_length,ninety_degrees,position,theta,hits,trials
!      Initialization of variables
!      Value of Pi, 17 decimal places can be stored for double precision constants
      pi=3.14159265358979324
!      Alternative value generated by the compiler as: pi= 4 arctan(1)
!      pi=4.0*datan(1.0D0)
!      Number of hits

```

```

hits=0.0
! Number of experiments or trials
trials = 1.0e+08
! Spacing between lines
spacing = 2.0
! needle_length (e. g. spacing /2.0)
needle_length = 1.0
! Ninety degrees as pi/2.0
ninety_degrees = pi/2.0
! Simulate needle dropping
ntrials=trials
do i = 1 , ntrials
    call random (rr)
    position = (spacing / 2.0) * rr
    call random (rr)
    theta = ninety_degrees * rr
    costheta = cos (theta)
    projection = (needle_length / 2.0 ) * costheta
! Test for position of needle point
    if( position .LE. projection ) then
! Score a hit
        hits = hits + 1.0
    endif
end do
! Evaluation of pi
prob=hits/trials
pi = (2.0*needle_length)/(spacing*prob)
! Write results
write(*,*) 'Variables:'
write(*,*) 'needle_length = ', needle_length
write(*,*) 'spacing = ', spacing
write(*,*) 'trials = ', trials
write(*,*) 'hits = ', hits
write(*,*) 'prob = ', prob
write(*,*) 'pi = ', pi
end
stop

```

Figure 4. Procedure for estimating the value of Pi, π using the Buffon's needle problem.

Table 1. Estimates of the value of π , for different numbers of trials N.

Number of trials, N	Estimate of π
10^1	4.999999
10^2	3.703704
10^3	3.194888
10^4	3.193868
10^5	3.147326
10^6	3.138978
10^7	3.140663
10^8	3.141302
10^9	3.141682

Notice that we cannot hope to obtain a better value of:

$$\pi = 3.14159265358979324,$$

than the one that was used in the sampling of the angle θ , even in double precision which keeps 17 significant digits, because of the introduction of round-off error, particularly in the estimation of the cosine function.

If better approximations are needed, the Lambert's and Euler's methods offer ways of getting better approximations to the value of π .

2.5 LAMBERT'S METHOD FOR ESTIMATING π

The Swiss mathematician Johann Heinrich Lambert (1728-1777) gave a continued fraction for π , which gives good approximations as:

$$\pi = 3 + \frac{1}{7 + \frac{1}{15 + \frac{1}{1 + \frac{1}{292 + \frac{1}{1 + \frac{1}{1 + \frac{1}{1 + \frac{1}{2 + \dots}}}}}}}} \quad (13)$$

The first ten convergents of this continued fraction are:

3:1
22:7
333:106
355:113
103993:33102
104348:33215
208341:66317
312689:99532
833719:265381
1146408:364913
... : ...

They offer valuable approximations. For instance, the value 355/113 is correct to six decimal places, and was suggested by Adriaan Anthoniszoon, a Dutch mathematician and fortification engineer.

2.6 EULER'S METHOD FOR ESTIMATING π

Leonhard Euler(1707-1783) was born in Basel, Switzerland, and published 886 books and mathematical memoirs, even after he lost his eyesight in 1771. He provided several formulae for the estimation of π in his book: “Introductio in Analysin infinitorum” in 1748. This book standardized the mathematical notation used today, and with other Euler work, introduced the symbols of modern mathematics: π , $f(x)$, Σ , \int , e , and i .

In particular, he considered the summation of the series of inverse squares:

$$\frac{1}{1^2} + \frac{1}{2^2} + \frac{1}{3^2} + \frac{1}{4^2} + \dots \quad (14)$$

The summation of this series had baffled other earlier mathematicians. Euler in 1736 considered the trigonometric function series:

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \dots \quad (15)$$

This can be considered as an equation of degree infinity as:

$$\sin x = x(1 - \frac{x^2}{3!} + \frac{x^4}{5!} - \frac{x^6}{7!} + \dots) = 0 \quad (16)$$

The roots of Eqn. 16, excluding zero, are:

$$\pm \pi, \pm 2\pi, \pm 3\pi, \dots$$

Substituting $x^2 = y$ into Eqn. 16 yields:

$$\sin y^{1/2} = y^{1/2}(1 - \frac{y}{3!} + \frac{y^2}{5!} - \frac{y^3}{7!} + \dots) = 0 \quad (17)$$

For y not equal to zero, Eqn. 17 becomes:

$$(1 - \frac{y}{3!} + \frac{y^2}{5!} - \frac{y^3}{7!} + \dots) = 0 \quad (18)$$

In similarity to Eqn. 16, the roots of Eqn. 18 are the squared values:

$$\pm \pi^2, \pm(2\pi)^2, \pm(3\pi)^2, \dots$$

According to the theory of equations, a branch of higher algebra, the negative coefficient of the linear term y in Eqn. 18 is the sum of the reciprocals of the roots of the equation, from which:

$$\frac{1}{3!} = \frac{1}{\pi^2} + \frac{1}{(2\pi)^2} + \frac{1}{(3\pi)^2} + \dots \quad (19)$$

Equation 19 can be rearranged as:

$$\frac{\pi^2}{6} = \frac{1}{1^2} + \frac{1}{2^2} + \frac{1}{3^2} + \frac{1}{4^2} + \dots \quad (20)$$

This provides a solution to the problem of the sum of the inverse squares, and as an added bonus, a series for calculating the value of π to any desired number of significant digits.

There may not be a compelling scientific or practical purpose in using more than the 17 decimal places that double precision provides. The calculation of π to 100, 500 or 10,265 decimal places is only of theoretical importance, except maybe for checking that a new computer design is performing its calculations accurately or as a cipher key.

Incidentally, the March 13 date is usually designated as “Pi Day.”

A value of π that is correct to 100 decimal digits is:

$$\begin{aligned} \pi = 3. & \quad 14159 \ 26535 \ 89793 \ 23846 \ 26433 \\ & \quad 83279 \ 50288 \ 41971 \ 69399 \ 37510 \\ & \quad 58209 \ 74944 \ 59230 \ 78164 \ 06286 \\ & \quad 20899 \ 86280 \ 34825 \ 34211 \ 70679. \end{aligned}$$

A value of π that is correct to 10,000 decimal digits using the Wolfram Alpha computational engine is listed in the Appendix.

2.7 DISCUSSION

Laplace showed us how to use a simulation procedure to estimate the value of π . He used an analog computer consisting of a needle and a sheet of paper. This was the first known application of what became known as the Monte Carlo method. It is particularly useful for estimating the mean values of complicated functions of random variables.

As an integration method, it is capable of estimating multidimensional integrals, that other methods would have difficulty handling. If the estimation of the integral is too difficult in terms of programming, a direct simulation of the basic physical processes involved, is always possible by the Monte Carlo method. The Monte Carlo method excels where the problems at hand are multidimensional, and where complexity and nonlinearity can only be handled in other methods by linearization and significant approximations to the problems at hand. It finds nowadays wide uses in a variety of fields such as particle transport, fluid flow, heat transfer, operations research, biological systems and game theory, to name a few.

EXERCISES

1. Derive the equations that generalize the Buffon's needle problem to two sets of parallel lines that are perpendicular to each other, as earlier derived by Laplace. Write a procedure for the estimation of π , and compare the results to those obtained from a single set of parallel lines.
2. A generalization that is even more challenging is to a three-dimensional set of perpendicular lines. The ultimate generalization would be to an n-dimensional hyper cube.
3. Estimate the percentage absolute error relative to the double precision value of π , and plot it as a function of the number of trials N.
4. Instead of loading the value of π in double precision to 17 decimal places as:

$$\pi = 3.14159265358979324,$$

let the computer generate its value itself as $4.0 \tan^{-1}(1)$, in double precision as:

$$\pi = 4.0 * \text{datan}(1.0 \text{ D } 0).$$

Do you notice any difference in the results?

4. Consider the Euler's method for the cosine function instead of the sine function. Prove that it yields another expression for the calculation of π as:

$$\frac{\pi^2}{8} = \frac{1}{1^2} + \frac{1}{3^2} + \frac{1}{5^2} + \frac{1}{7^2} + \dots$$

Use it to calculate the value of π to a number of significant digits.

5. Study the effect of the choice of needle length L and spacing d in the Buffon's needle problem. By varying the ratio L/d, are the results affected?

APPENDIX

π TO 10,000 DIGITS

$\pi = 3.14159265358979323846264338327950288419716939937510582097494459230781$
 640628620899862803482534211706798214808651328230664709384460955058223172
 535940812848111745028410270193852110555964462294895493038196442881097566
 593344612847564823378678316527120190914564856692346034861045432664821339
 360726024914127372458700660631558817488152092096282925409171536436789259
 036001133053054882046652138414695194151160943305727036575959195309218611
 738193261179310511854807446237996274956735188575272489122793818301194912
 983367336244065664308602139494639522473719070217986094370277053921717629
 317675238467481846766940513200056812714526356082778577134275778960917363
 717872146844090122495343014654958537105079227968925892354201995611212902
 196086403441815981362977477130996051870721134999999837297804995105973173
 281609631859502445945534690830264252230825334468503526193118817101000313
 783875288658753320838142061717766914730359825349042875546873115956286388

235378759375195778185778053217122680661300192787661119590921642019893809
525720106548586327886593615338182796823030195203530185296899577362259941
389124972177528347913151557485724245415069595082953311686172785588907509
838175463746493931925506040092770167113900984882401285836160356370766010
471018194295559619894676783744944825537977472684710404753464620804668425
906949129331367702898915210475216205696602405803815019351125338243003558
764024749647326391419927260426992279678235478163600934172164121992458631
503028618297455570674983850549458858692699569092721079750930295532116534
498720275596023648066549911988183479775356636980742654252786255181841757
467289097777279380008164706001614524919217321721477235014144197356854816
136115735255213347574184946843852332390739414333454776241686251898356948
556209921922218427255025425688767179049460165346680498862723279178608578
438382796797668145410095388378636095068006422512520511739298489608412848
862694560424196528502221066118630674427862203919494504712371378696095636
437191728746776465757396241389086583264599581339047802759009946576407895
126946839835259570982582262052248940772671947826848260147699090264013639
443745530506820349625245174939965143142980919065925093722169646151570985
838741059788595977297549893016175392846813826868386894277415599185592524
595395943104997252468084598727364469584865383673622262609912460805124388
439045124413654976278079771569143599770012961608944169486855584840635342
207222582848864815845602850601684273945226746767889525213852254995466672
782398645659611635488623057745649803559363456817432411251507606947945109
659609402522887971089314566913686722874894056010150330861792868092087476
091782493858900971490967598526136554978189312978482168299894872265880485
756401427047755513237964145152374623436454285844479526586782105114135473
573952311342716610213596953623144295248493718711014576540359027993440374
200731057853906219838744780847848968332144571386875194350643021845319104
848100537061468067491927819119793995206141966342875444064374512371819217
999839101591956181467514269123974894090718649423196156794520809514655022
523160388193014209376213785595663893778708303906979207734672218256259966
150142150306803844773454920260541466592520149744285073251866600213243408
819071048633173464965145390579626856100550810665879699816357473638405257
145910289706414011097120628043903975951567715770042033786993600723055876
317635942187312514712053292819182618612586732157919841484882916447060957
527069572209175671167229109816909152801735067127485832228718352093539657
251210835791513698820914442100675103346711031412671113699086585163983150
197016515116851714376576183515565088490998985998238734552833163550764791
853589322618548963213293308985706420467525907091548141654985946163718027
098199430992448895757128289059232332609729971208443357326548938239119325
974636673058360414281388303203824903758985243744170291327656180937734440
307074692112019130203303801976211011004492932151608424448596376698389522
868478312355265821314495768572624334418930396864262434107732269780280731
891544110104468232527162010526522721116603966655730925471105578537634668
206531098965269186205647693125705863566201855810072936065987648611791045
334885034611365768675324944166803962657978771855608455296541266540853061
434443185867697514566140680070023787765913440171274947042056223053899456

131407112700040785473326993908145466464588079727082668306343285878569830
523580893306575740679545716377525420211495576158140025012622859413021647
155097925923099079654737612551765675135751782966645477917450112996148903
046399471329621073404375189573596145890193897131117904297828564750320319
869151402870808599048010941214722131794764777262241425485454033215718530
614228813758504306332175182979866223717215916077166925474873898665494945
011465406284336639379003976926567214638530673609657120918076383271664162
748888007869256029022847210403172118608204190004229661711963779213375751
149595015660496318629472654736425230817703675159067350235072835405670403
867435136222247715891504953098444893330963408780769325993978054193414473
774418426312986080998886874132604721569516239658645730216315981931951673
538129741677294786724229246543668009806769282382806899640048243540370141
631496589794092432378969070697794223625082216889573837986230015937764716
512289357860158816175578297352334460428151262720373431465319777741603199
066554187639792933441952154134189948544473456738316249934191318148092777
710386387734317720754565453220777092120190516609628049092636019759882816
133231666365286193266863360627356763035447762803504507772355471058595487
027908143562401451718062464362679456127531813407833033625423278394497538
243720583531147711992606381334677687969597030983391307710987040859133746
414428227726346594704745878477872019277152807317679077071572134447306057
007334924369311383504931631284042512192565179806941135280131470130478164
378851852909285452011658393419656213491434159562586586557055269049652098
580338507224264829397285847831630577775606888764462482468579260395352773
480304802900587607582510474709164396136267604492562742042083208566119062
545433721315359584506877246029016187667952406163425225771954291629919306
455377991403734043287526288896399587947572917464263574552540790914513571
113694109119393251910760208252026187985318877058429725916778131496990090
192116971737278476847268608490033770242429165130050051683233643503895170
298939223345172201381280696501178440874519601212285993716231301711444846
409038906449544400619869075485160263275052983491874078668088183385102283
345085048608250393021332197155184306354550076682829493041377655279397517
546139539846833936383047461199665385815384205685338621867252334028308711
232827892125077126294632295639898989358211674562701021835646220134967151
881909730381198004973407239610368540664319395097901906996395524530054505
806855019567302292191393391856803449039820595510022635353619204199474553
859381023439554495977837790237421617271117236434354394782218185286240851
400666044332588856986705431547069657474585503323233421073015459405165537
906866273337995851156257843229882737231989875714159578111963583300594087
306812160287649628674460477464915995054973742562690104903778198683593814
657412680492564879855614537234786733039046883834363465537949864192705638
729317487233208376011230299113679386270894387993620162951541337142489283
072201269014754668476535761647737946752004907571555278196536213239264061
601363581559074220202031872776052772190055614842555187925303435139844253
223415762336106425063904975008656271095359194658975141310348227693062474
353632569160781547818115284366795706110861533150445212747392454494542368
288606134084148637767009612071512491404302725386076482363414334623518975

766452164137679690314950191085759844239198629164219399490723623464684411
739403265918404437805133389452574239950829659122850855582157250310712570
126683024029295252201187267675622041542051618416348475651699981161410100
299607838690929160302884002691041407928862150784245167090870006992821206
604183718065355672525325675328612910424877618258297651579598470356222629
348600341587229805349896502262917487882027342092222453398562647669149055
628425039127577102840279980663658254889264880254566101729670266407655904
290994568150652653053718294127033693137851786090407086671149655834343476
933857817113864558736781230145876871266034891390956200993936103102916161
528813843790990423174733639480457593149314052976347574811935670911013775
172100803155902485309066920376719220332290943346768514221447737939375170
344366199104033751117354719185504644902636551281622882446257591633303910
722538374218214088350865739177150968288747826569959957449066175834413752
239709683408005355984917541738188399944697486762655165827658483588453142
775687900290951702835297163445621296404352311760066510124120065975585127
617858382920419748442360800719304576189323492292796501987518721272675079
812554709589045563579212210333466974992356302549478024901141952123828153
091140790738602515227429958180724716259166854513331239480494707911915326
734302824418604142636395480004480026704962482017928964766975831832713142
517029692348896276684403232609275249603579964692565049368183609003238092
934595889706953653494060340216654437558900456328822505452556405644824651
518754711962184439658253375438856909411303150952617937800297412076651479
394259029896959469955657612186561967337862362561252163208628692221032748
892186543648022967807057656151446320469279068212073883778142335628236089
632080682224680122482611771858963814091839036736722208883215137556003727
983940041529700287830766709444745601345564172543709069793961225714298946
715435784687886144458123145935719849225284716050492212424701412147805734
551050080190869960330276347870810817545011930714122339086639383395294257
869050764310063835198343893415961318543475464955697810382930971646514384
070070736041123735998434522516105070270562352660127648483084076118301305
279320542746286540360367453286510570658748822569815793678976697422057505
968344086973502014102067235850200724522563265134105592401902742162484391
403599895353945909440704691209140938700126456001623742880210927645793105
7922955249887275846101264836999892256959688159205600101655256375679